

C&H 14EX Spray Detergent

Safety Data Sheet A014EXX

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 04/15/2015

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : C&H 14EX Spray Detergent
Product code : A014EXX-050-001

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Seacole-CRC, LLC
13505 Industrial Park Blvd
Plymouth, MN 55441 - USA
T 763-582-1140
www.Seacole.com

1.4. Emergency telephone number

Emergency number : Infotrac - 800-535-5053

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Corr. 1A H314
Eye Dam. 1 H318
STOT SE 3 H335

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage
H335 - May cause respiratory irritation

Precautionary statements (GHS-US) : P260 - Do not breathe dust
P261 - Avoid breathing dust
P264 - Wash hands, forearms and face, clothing thoroughly after handling
P271 - Use only outdoors or in a well-ventilated area
P280 - Wear eye protection, face protection, protective clothing, protective gloves
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a doctor, a POISON CENTER
P312 - Call a doctor, a POISON CENTER if you feel unwell
P321 - Specific treatment (see a doctor on this label)
P363 - Wash contaminated clothing before reuse
P403+P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

C&H 14EX Spray Detergent

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification (GHS-US) |
|------------------------------------|--------------------|---------|---|
| Sodium Carbonate | (CAS No) 497-19-8 | 20 - 50 | Skin Corr. 1A, H314 Eye Dam. 1, H318 |
| Sodium Metasilicate | (CAS No) 6834-92-0 | 20 - 50 | Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 |
| Sodium Tripolyphosphate | (CAS No) 7758-29-4 | 10 - 20 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 |
| Oxirane, Methyl-, Polymer | (CAS No) 9003-11-6 | 5 - 10 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 3, H402 |
| Diethylene Glycol Mono-Butyl Ether | (CAS No) 112-34-5 | 1 - 3 | Eye Irrit. 2A, H319 |

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician. Call a POISON CENTER or doctor/physician if you feel unwell.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a poison center or doctor/physician.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes severe skin burns and eye damage.
- Symptoms/injuries after inhalation : May cause respiratory irritation.
- Symptoms/injuries after eye contact : Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Reactivity : Thermal decomposition generates : Corrosive vapors.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

C&H 14EX Spray Detergent

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact during pregnancy/while nursing. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Hygiene measures : Wash ... thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container tightly closed.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| C&H 14EX Spray Detergent | | |
|---|------------------|--------|
| ACGIH | Not applicable | |
| OSHA | Not applicable | |
| Sodium Carbonate (497-19-8) | | |
| ACGIH | Not applicable | |
| OSHA | Not applicable | |
| Sodium Metasilicate (6834-92-0) | | |
| ACGIH | Not applicable | |
| OSHA | Not applicable | |
| Diethylene Glycol Mono-Butyl Ether (112-34-5) | | |
| ACGIH | ACGIH TWA (ppm) | 10 ppm |
| ACGIH | ACGIH STEL (ppm) | 10 ppm |
| OSHA | Not applicable | |
| Oxirane, Methyl-, Polymer (9003-11-6) | | |
| ACGIH | Not applicable | |
| OSHA | Not applicable | |
| Sodium Tripolyphosphate (7758-29-4) | | |
| ACGIH | Not applicable | |
| OSHA | Not applicable | |

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

C&H 14EX Spray Detergent

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|--------------------------|--|
| Hand protection | : Wear protective gloves. |
| Eye protection | : Chemical goggles or face shield. |
| Skin and body protection | : Wear suitable protective clothing. |
| Respiratory protection | : Wear appropriate mask. |
| Other information | : Do not eat, drink or smoke during use. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---|
| Physical state | : Solid |
| Color | : White |
| Odor | : characteristic |
| Odor threshold | : No data available |
| pH | : No data available |
| pH solution | : 12.5 (2% wt.) |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : No data available |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Solubility | : Water: Solubility in water of component(s) of the mixture : •: 22 g/100ml •: > 18 g/100ml •: 64 g/100ml •: •: •: 55 g/100ml •: •: g/100ml • : 15 g/100ml •: |
| Log Pow | : No data available |
| Log Kow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapors.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapors.

C&H 14EX Spray Detergent

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| Sodium Carbonate (497-19-8) | |
|-----------------------------|---|
| LD50 oral rat | 2800 mg/kg (Rat; Experimental value) |
| LD50 dermal rabbit | > 2000 mg/kg (Rabbit; Experimental value) |
| ATE US (oral) | 2800.000 mg/kg body weight |

| Sodium Metasilicate (6834-92-0) | |
|---------------------------------|--|
| LD50 dermal rat | > 5000 mg/kg body weight (Rat; Read-across; OECD 402: Acute Dermal Toxicity) |

| Diethylene Glycol Mono-Butyl Ether (112-34-5) | |
|---|--|
| LD50 dermal rabbit | 2764 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) |
| ATE US (dermal) | 2764.000 mg/kg body weight |

| Sodium Tripolyphosphate (7758-29-4) | |
|-------------------------------------|-----------------------|
| LD50 oral rat | > 2000 mg/kg (Rat) |
| LD50 dermal rabbit | > 4640 mg/kg (Rabbit) |

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after eye contact : Causes serious eye damage.

SECTION 12: Ecological information

12.1. Toxicity

| Sodium Carbonate (497-19-8) | |
|--------------------------------|--------------------------------------|
| LC50 fish 1 | 300 mg/l (96 h; Lepomis macrochirus) |
| EC50 Daphnia 1 | < 424 mg/l (48 h; Daphnia magna) |
| EC50 other aquatic organisms 1 | 14 mg/l (168 h; Plankton) |
| LC50 fish 2 | 740 mg/l (96 h; Gambusia affinis) |
| EC50 Daphnia 2 | 265 mg/l (48 h; Daphnia magna) |
| TLM fish 1 | 300 ppm (96 h; Lepomis macrochirus) |
| TLM other aquatic organisms 1 | 500 ppm (96 h; Daphnia magna) |
| Threshold limit algae 1 | 242 mg/l (5 days; Algae) |

| Sodium Metasilicate (6834-92-0) | |
|---------------------------------|---|
| LC50 fish 1 | 210 mg/l (96 h; Brachydanio rerio) |
| EC50 Daphnia 1 | 216 mg/l (96 h; Daphnia magna; GLP) |
| LC50 fish 2 | 2320 mg/l (96 h; Gambusia affinis) |
| EC50 Daphnia 2 | 632 mg/l (96 h; Lymnaea sp.) |
| Threshold limit algae 1 | 207 mg/l (72 h; Scenedesmus subspicatus; GLP) |

C&H 14EX Spray Detergent

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Diethylene Glycol Mono-Butyl Ether (112-34-5)

| | |
|-------------------------|--|
| LC50 fish 1 | 1300 mg/l (96 h; Lepomis macrochirus) |
| EC50 Daphnia 1 | 4950 mg/l (48 h; Daphnia magna) |
| Threshold limit algae 1 | > 100 mg/l (96 h; Desmodesmus subspicatus) |

Sodium Tripolyphosphate (7758-29-4)

| | |
|--------------------------------|-------------------------------------|
| LC50 fish 1 | 1650 mg/l (48 h; Leuciscus idus) |
| EC50 Daphnia 1 | 1089 mg/l (505 h; Daphnia magna) |
| EC50 other aquatic organisms 1 | > 1000 mg/l (3 h; Activated sludge) |
| EC50 Daphnia 2 | 1154 mg/l (25 h; Daphnia magna) |

12.2. Persistence and degradability

C&H 14EX Spray Detergent

| | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
|-------------------------------|------------------|

Sodium Carbonate (497-19-8)

| | |
|-------------------------------|---|
| Persistence and degradability | Biodegradability: not applicable. Low potential for adsorption in soil. |
| ThOD | Not applicable (inorganic) |

Sodium Metasilicate (6834-92-0)

| | |
|---------------------------------|--|
| Persistence and degradability | Biodegradability: not applicable. No (test) data on mobility of the substance available. |
| Biochemical oxygen demand (BOD) | Not applicable |
| Chemical oxygen demand (COD) | Not applicable |
| ThOD | Not applicable |
| BOD (% of ThOD) | Not applicable |

Diethylene Glycol Mono-Butyl Ether (112-34-5)

| | |
|-------------------------------|--|
| Persistence and degradability | Readily biodegradable in water. Low potential for adsorption in soil. Photooxidation in the air. |
|-------------------------------|--|

Oxirane, Methyl-, Polymer (9003-11-6)

| | |
|-------------------------------|-------------------------------------|
| Persistence and degradability | Not readily biodegradable in water. |
|-------------------------------|-------------------------------------|

Sodium Tripolyphosphate (7758-29-4)

| | |
|---------------------------------|-----------------------------------|
| Persistence and degradability | Biodegradability: not applicable. |
| Biochemical oxygen demand (BOD) | Not applicable |
| Chemical oxygen demand (COD) | Not applicable |
| ThOD | Not applicable |
| BOD (% of ThOD) | Not applicable |

12.3. Bioaccumulative potential

C&H 14EX Spray Detergent

| | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

Sodium Carbonate (497-19-8)

| | |
|---------------------------|--|
| Log Pow | -6.19 (Estimated value) |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |

Sodium Metasilicate (6834-92-0)

| | |
|---------------------------|----------------------------------|
| Bioaccumulative potential | Bioaccumulation: not applicable. |
|---------------------------|----------------------------------|

Diethylene Glycol Mono-Butyl Ether (112-34-5)

| | |
|---------------------------|---|
| Log Pow | 1 (Test data; Equivalent or similar to OECD 107; 20 °C) |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |

Oxirane, Methyl-, Polymer (9003-11-6)

| | |
|---------------------------|----------------------|
| Bioaccumulative potential | Not bioaccumulative. |
|---------------------------|----------------------|

Sodium Tripolyphosphate (7758-29-4)

| | |
|---------------------------|----------------------|
| Bioaccumulative potential | Not bioaccumulative. |
|---------------------------|----------------------|

12.4. Mobility in soil

C&H 14EX Spray Detergent

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Diethylene Glycol Mono-Butyl Ether (112-34-5)

| | |
|-----------------|--------------------|
| Surface tension | 0.0069 N/m (20 °C) |
|-----------------|--------------------|

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Sodium Carbonate (497-19-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Sodium Metasilicate (6834-92-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Diethylene Glycol Mono-Butyl Ether (112-34-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

| | |
|---------------------------------------|---------------------|
| SARA Section 313 - Emission Reporting | 100 % Glycol Ethers |
|---------------------------------------|---------------------|

Oxirane, Methyl-, Polymer (9003-11-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Sodium Tripolyphosphate (7758-29-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Not listed on the United States SARA Section 313

| | |
|--|---------|
| RQ (Reportable quantity, section 304 of EPA's List of Lists) | 5000 lb |
|--|---------|

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

C&H 14EX Spray Detergent

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

National regulations

No additional information available

15.3. US State regulations

Sodium Tripolyphosphate (7758-29-4)

U.S. - Massachusetts - Right To Know List
U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Other information : None.

Full text of H-phrases:

| | |
|-----------------|--|
| Aquatic Acute 3 | Hazardous to the aquatic environment - Acute Hazard Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Skin Corr. 1A | Skin corrosion/irritation Category 1A |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| H402 | Harmful to aquatic life |

SDS US (GHS HazCom 2012)

The information contained herein is based upon data believed to be reliable. SEACOLE-CRC, LLC provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. SEACOLE-CRC, LLC knows of no medical condition, other than those noted on this safety data sheet, which are generally recognized as being aggravated by exposure to this product.