

# **SAFETY DATA SHEET**

Creation Date 21-Sep-2010 Revision Date 19-Jan-2018 Revision Number 5

1. Identification

Product Name Mercury(I) chloride

Cat No.: AC213120000; AC213120050; AC213121000; AC213125000

**CAS-No** 10112-91-1

Synonyms Mercurous chloride

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific Acros Organics
One Reagent Lane One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Acute dermal toxicity

Category 4

Skin Corrosion/irritation

Category 2

Serious Eye Damage/Eye Irritation

Category 2

Specific target organ toxicity (single exposure)

Category 3

Target Organs - Respiratory system.

## **Label Elements**

# Signal Word

Danger

# **Hazard Statements**

Toxic if swallowed Harmful in contact with skin Causes skin irritation Causes serious eye irritation May cause respiratory irritation



## **Precautionary Statements**

### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

#### Skin

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

WARNING. Reproductive Harm - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Mercury chloride	10112-91-1	>95

## 4. First-aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** Move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Revision Date 19-Jan-2018 Mercury(I) chloride

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms and

effects

None reasonably foreseeable.

**Notes to Physician** Treat symptomatically

## Fire-fighting measures

No information available **Unsuitable Extinguishing Media** 

**Flash Point** No information available Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### Specific Hazards Arising from the Chemical

Do not allow run-off from fire fighting to enter drains or water courses.

### **Hazardous Combustion Products**

Hydrogen chloride gas

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
2	0	0	N/A

## Accidental release measures

**Personal Precautions** 

**Environmental Precautions** 

Ensure adequate ventilation. Use personal protective equipment. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Up

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

7. Handl	ing	and	storage
----------	-----	-----	---------

Handling

Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Use only under a chemical fume hood. Do not breathe vapors/dust. Do not

ingest.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Mercury chloride		(Vacated) Ceiling: 0.1 mg/m <sup>3</sup>	5	TWA: 0.05 mg/m <sup>3</sup>
	Skin		TWA: 0.05 mg/m <sup>3</sup>	
			Ceiling: 0.1 mg/m <sup>3</sup>	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Ensure that eyewash stations and safety showers are close to the workstation location.

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection** Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical State Solid
Appearance Off-white
Odor Odorless

Odor Threshold<br/>pHNo information available<br/>No information availableMelting Point/Range400 °C / 752 °FBoiling Point/RangeNo information availableFlash PointNo information available

Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

Upper<br/>LowerNo data available<br/>No data availableVapor PressureNo information availableVapor DensityNot applicableSpecific GravityNo information available

Solubility Insoluble in water
Partition coefficient; n-octanol/water No data available

Autoignition Temperature

Decomposition Temperature

ViscosityNot applicableMolecular FormulaCl2 Hg2Molecular Weight472.08

# 10. Stability and reactivity

No information available

Reactive Hazard None known, based on information available

**Stability** Sensitivity to light.

Conditions to Avoid Incompatible products. Excess heat. Avoid dust formation. Exposure to light.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Hydrogen chloride gas

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

# Product Information

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Mercury chloride	LD50 = 210 mg/kg (Rat)	LD50 = 1500 mg/kg (Rat)	Not listed

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Cor	nponent	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Mercu	ıry chloride	10112-91-1	Not listed				

Mutagenic Effects No information available

Reproductive Effects No information available.

**Developmental Effects**No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

**Endocrine Disruptor Information** 

delayed

No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

## **Ecotoxicity**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Mercury chloride	Not listed	Leuciscus idus: 0.5 mg/L	Not listed	0.002 mg/L 48h
1		/8h		_

Persistence and Degradability Insoluble in water

**Bioaccumulation/ Accumulation**No information available.

**Mobility** Is not likely mobile in the environment due its low water solubility.

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN2025

Proper Shipping Name MERCURY COMPOUND, SOLID, N.O.S

Proper technical name Mercury chloride

Hazard Class 6.1 Packing Group III

TDG

UN-No UN2025

Proper Shipping Name MERCURY COMPOUND, SOLID, N.O.S.

Hazard Class 6.1
Packing Group

IATA

UN-No UN2025

Proper Shipping Name MERCURY COMPOUND, SOLID, N.O.S.

Hazard Class 6.1 Packing Group III

IMDG/IMO

UN-No UN2025

Proper Shipping Name MERCURY COMPOUND, SOLID, N.O.S.

Hazard Class 6.1 Packing Group III

# 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

### **International Inventories**

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Mercury chloride	Х	Χ	-	233-307-5	-		Χ	Χ	Χ	Χ	X

### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

## U.S. Federal Regulations

TSCA 12(b) Not applicable

## **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Mercury chloride	10112-91-1	>95	1.0

## SARA 311/312 Hazard Categories See section 2 for more information

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Mercury chloride	-	-	X	-

#### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Mercury chloride	X		-

# **OSHA** Occupational Safety and Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product contains the following proposition 65 chemicals

	Component CAS-No		California Prop. 65	Prop 65 NSRL	Category	
Ī	Mercury chloride	10112-91-1	Developmental	-	Developmental	

## U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Mercury chloride	-	X	X	X	-

# **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade No information available

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 21-Sep-2010

 Revision Date
 19-Jan-2018

 Print Date
 19-Jan-2018

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**